

# Planting date and seeding rate impacted hybrid winter rye grain yield across U.S. regions

September 17, 2025



Photo courtesy of Flickr/cheeses. CC BY-NC-SA 2.0.



Farmers have shown renewed interest in incorporating small grains, such as rye, in their crop rotations, with the goal to harvest them for grain. Niche food-grade marketing opportunities for rye grain are growing due to distilling and milling industries. For

farmers to integrate hybrid winter rye into their cropping systems, they need basic agronomic information on optimum planting dates and seeding rates.

This experiment set out to determine the influence of planting date and seeding rate on winter hybrid rye grain yield in four states (Kentucky, Ohio, Wisconsin, and Minnesota).

Earn 1.5 CEUs in Crop Management by reading this article and taking the quiz.

# **Self-study CEU quiz**

Earn 1.5 CEUs in Crop Management by reading this article and then taking the quiz. For your convenience, the quiz is printed below. The CEU can be purchased individually, or you can access as part of your Online Classroom

trials conducted?

1. What was the primary objective of the multi-state hybrid winter rye
study?
a. To compare rye with wheat for forage quality.
b. To determine fertilizer requirements for rye.
c. To evaluate the effects of planting date and seeding rate on hybrid rye grain yield.
d. To develop new rye cultivars.
2. In this study, maximum grain yield occurred when rye was planted
within the week period following the fly free data at seeding rates
within the week period following the fly free data at seeding rates
within the week period following the fly free data at seeding rates million seeds acre <sup>-1</sup> .
within the week period following the fly free data at seeding rates million seeds acre <sup>-1</sup> .  a. 2; 0.8

3. In which U.S. states were the hybrid rye planting date  $\times$  seeding rate

a. North Dakota, South Dakota, and Montana.
b. Iowa, Wisconsin, and Michigan.
c. Kentucky, Ohio, Wisconsin, and Minnesota.
d. Nebraska, Kansas, and Missouri.
4. Greater seeding rates always resulted in higher rye grain yields
regardless of environment.
a. True.
b. False.
5. Which factor(s) influenced rye grain yield?
a. Seeding rate.
b. Planting date.
c. Row spacing
d. Both a and b.
e. Both b and c.
6. According to the article, what was the main purpose for winter rye
cultivation in the United States in 2023?

b. Fiber production.
c. Cover cropping.
d. Hay production.
7. Which seeding rate range was tested in this study?
a. 0.2–0.8 million seeds acre[].
b. 0.4–0.5 million seeds acrell.
c. 0.4–1.2 million seeds acrell.
d. 0.5–2.0 million seeds acre[].
8. The interaction between planting date and seeding rate was significant
8. The interaction between planting date and seeding rate was significant across all sites.
across all sites.
across all sites.  a. True.
across all sites.  a. True.
across all sites.  a. True.  b. False.
across all sites.  a. True.  b. False.  9. Across planting dates, winter hybrid rye grain yield was lowest when
across all sites.  a. True.  b. False.  9. Across planting dates, winter hybrid rye grain yield was lowest when seeded at
across all sites.  a. True.  b. False.  9. Across planting dates, winter hybrid rye grain yield was lowest when seeded at  a. 0.2–0.8 million seeds acref.

10. During the 2022–2023 growing season, the Crookston, MN site had
unsuccessful plant establishment. Which of the following did the authors
cite as the reason(s)?
a. Prolonged drought conditions at planting.
b. Winter kill.
c. Bird damage.
d. Herbicide drift.
e. Both b and c.
f. Both b and d.
11. What was the median yield of hybrid winter rye across planting dates,
seeding rates, and environments?
a. 65 bu acre <sup>-1</sup> .
b. 90 bu acre <sup>-1</sup> .
c. 40 bu acre <sup>-1</sup> .
d. 50 bu acre <sup>-1</sup> .

12. In Ohio, in late planting scenarios, higher seeding rates can
compensate for lost yield potential.
a. True.
b. False.
13. Which hybrid winter rye cultivar was used across all sites in the study?
a. Bono.
b. Tayo.
c. Hazlet.
d. Musketeer.
14. What is one management recommendation from the study for
maximizing hybrid rye grain yield?
a. Delay planting until late October to avoid fall growth.
b. Plant within the two-week period following the Hessian fly-free date and at
seeding rates greater than 0.8 million seeds acre <sup>-1</sup> .
c. Use very high seeding rates regardless of timing.
d. Reduce seeding rates when planting early.

## 15. Based on the study results, the authors conclude that

- a. hybrid rye should only be grown for the malting industry.
- b. hybrid rye cannot be grown successfully anywhere in the country.
- c. hybrid rye can be grown successfully in Kentucky, Ohio, Wisconsin, and Minnesota, but planting date and seeding rate influenced grain yield.
- d. hybrid rye can be grown successfully anywhere in the U.S. regardless of planting date and seeding rate.

# More crop management

### **Back to current issue**

### **Back to home**

Text © . The authors. CC BY-NC-ND 4.0. Except where otherwise noted, images are subject to copyright. Any reuse without express permission from the copyright owner is prohibited.